

22.8(455B) Permit by rule.

22.8(1) *Permit by rule for spray booths.* Spray booths which comply with the requirements contained in this rule will be deemed to be in compliance with the requirements to obtain an air construction permit and an air operating permit. Spray booths which comply with this rule will be considered to have federally enforceable limits so that their potential emissions are less than the major source limits for regulated air pollutants and hazardous air pollutants as defined in 567—22.100(455B).

a. Definition. "Sprayed material" is material sprayed from spray equipment when used in the surface coating process in the spray booth, including but not limited to paint, solvents, and mixtures of paint and solvents.

b. Facilities which facilitywide spray one gallon per day or less of sprayed material are exempt from all requirements, except that they must submit the certification in 22.8(1)"e" to the department and keep records of daily sprayed material use. The facility must keep the records of daily sprayed material use for 18 months from the date to which the records apply.

c. Facilities which facilitywide spray more than one gallon per day but never more than three gallons per day are exempt from all requirements, except that they must submit the certification in 22.8(1)"e" to the department, keep records of daily sprayed material use, and vent emissions from spray booth(s) through stack(s) which is at least 22 feet tall, measured from ground level. The facility must keep the records of daily sprayed material use for 18 months from the date to which the records apply.

d. Facilities which facilitywide spray more than three gallons per day must comply with all applicable statutes and rules.

e. Facilities which claim to be permitted by provisions of this rule must submit to the department a written statement as follows:

"I certify that all paint booths at the facility and listed below are in compliance with all applicable requirements of 567 IAC 22.8(1) and all other applicable requirements, including but not limited to the allowable emission rate for painting and surface coating operations of 0.01 gr/scf of exhaust gas as specified in 567—subrule 23.4(13). I understand that this equipment shall be deemed permitted under the terms of 567 IAC 22.8(1) only if all applicable requirements of 567 IAC 22.8(1)

567-22.8

are met. This certification is based on information and belief formed after reasonable inquiry; the statements and information in the document are true, accurate, and complete."

The certification must be signed by one of the following individuals.

(1) For corporations, a principal executive officer of at least the level of vice president, or a responsible official as defined at 567 IAC 22.100(455B).

(2) For partnerships, a general partner.

(3) For sole proprietorships, the proprietor.

(4) For municipal, state, county, or other public facilities, the principal executive officer or the ranking elected official.

22.8(2) Reserved.

[illegible][illegible][illegible]

CFR: 40 C.F.R. 52.820 (c)

PRM: 67 FR 9640 (03/04/2002)

State Final: IAB 06/16/1999

Description: This revision clarifies the certification requirement for obtaining a permit by rule for spray booths.

Difference Between the State and EPA-Approved Regulation:

4